

## (QTY: 12) HCT 300 E 12 Slurry Wire Saw

Asset ID: 51455

## **Configuration:**

HCT 300 E 12 Slurry Wire Saw

- Double cutting head 2 x 150mm ingot diameter, length up to 300mm
- Slicing speed up to 1000um/min
- Wire tension up to 30N
- Maximum wire length 300km
- Wire speed up to 15m/s
- Wire diameter up to 0.18mm
- Main drive power 2 x 15kW
- Slurry tank capacity 150l
- Pumping capacity 40I/min

1996 (1), 1997 (5), 1998 (7) Vintage



HCT 300 E 12 Slurry Wire Saw #1



#### **More Photos on Following Pages**

To our knowledge, the information contained in this data sheet is accurate, but it may contain errors and we do not warrant the completeness or accuracy of this data.

Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com

Visit our website at: www.bridgetronic.com





QUALITY EQUIPMENT









Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com







QUALITY EQUIPMENT









Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com









































































Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com


















Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com







QUALITY EQUIPMENT























Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com































Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com














## **Cutting Head**



# Wire Management













## Surry Flow System



Interested parties may contact Bridge Tronic Global for additional information at +1 949.396.1395 or sales@bridgetronic.com









